

Contents

| Warranty              | 2  |
|-----------------------|----|
| Annual Inspection     | -  |
| Annual Service Record | ,  |
| Specifications        | 1( |
| Change of Ownership   | 17 |

Lunar Caravan Service Book 2016

## **Lunar Caravans Owners Warranty** 2016

#### Introduction

Congratulations on becoming a Lunar owner. We trust your Lunar Caravans to provide a long and trouble free service. However, in the unlikely event that you do have a problem or a fault does arise, it is important that you understand the contents of the Lunar owners warranty and follow the correct procedures to ensure that you receive the full benefit of this protection.

Your Lunar warranty commences on the day your new caravan is purchased. It is important that as an owner you complete the "Validate your Warranty" section located on our website. This activates your Lunar warranty <a href="http://www.lunarcaravans.com/validate-your-warranty">http://www.lunarcaravans.com/validate-your-warranty</a>. If you experience any problems in validating your warranty or do not have access to a computer, contact should be made with your dealer who can do this on your behalf.

### Warranty 2016

All Lunar Caravans are supplied with a 6 year water ingress and body delamination guarantee with a 3 year manufacturers backed warranty. Appliances carry their own manufacturer warranty the maximum of which is three years.

The Lunar warranty is conditional on annual servicing being carried out 60 days either side of the anniversary of the purchase date, except the third service which should be carried out prior to the third anniversary date of the final year

### 6 year body shell integrity warranty

Lunar Caravans will cover water ingress through any permanently sealed seam joints and delamination of panels and floor, being part of the caravan's original construction.

### 3 year manufacturer's warranty

Year 1

The first 12 months of the Lunar manufacturer's warranty will cover all components and parts arising from manufacturing defects but not those which are the result of normal wear and tear and those that relate to Tyres, Bulbs, Fluorescent Tubes and Fuses.

#### Years 2 & 3

In the event of a claim after 12 months from date of purchase, Lunar will require proof of servicing which will be the fully detailed original VAT service invoice. Failure to keep / provide such records and information will invalidate the Lunar warranty and any claims.

The warranty extends to the following items in years 2 & 3

**Cooker 3 years:** The cooker unit including burners, grill, oven and flame failure device and igniters.

Fridge 3 Years: Door seal, gas ignite, flame failure device, 12 & 230v thermostat, 230v temperature control switch.

Water System 3 years: Water heater, water gauges, fresh water tank.

**Cassette Toilet Thetford:** The cassette toilet is covered excluding seals, valves and glands.

**Auxiliary Electrics 3 years:** Battery charger, distribution unit, mains hook up and input connector.

**Heating System Alde 3 years:** Control unit, switches, flame device failure, ignite (excluding ductings and fittings).

**Heating system Truma 3 years:** Control unit, switches, flame failure device, ignite (excluding ducting and fittings).

Chassis 3 years: All chassis members.

**Towing Mechanism 3 years:** All mechanical components fitted.

Windows: 2 years

Disclaimer: The contents of this Service book are as accurate as possible at the time of going to print. Lunar Caravans reserve the right to alter materials and specifications without prior notice.

## WARRANTY Ü

During the second and third years Lunar will not cover those items which are the result of normal wear and tear or those related to:

- Bulbs, flurorescent tubes, LED's and fuses.
- 2. Interior lights
- 3. Tyres
- 4. Batteries
- Smoke Alarms & carbon monoxide alarms
- 6. Carpets and floor coverings
- 7. Soft furnishings
- 8. Entertainment equipment
- 9. Glass
- 10. Deterioration of exterior paint work
- 11. Adjustments of blinds and door flyscreen
- 12. Hinges
- 13. A Frame covers and wheel spats
- 14. Shower trays and cubicles
- Surface finishes to kitchen sinks, cooker tops, vanity units and worktops
- 16. Microwave
- 17. Alarm
- 18. Front panels
- 19. Back panels
- 20. Wheels
- 21. Tyres

Not covered are faults arising from accidental damage or damage caused by the misuse of any component part of the caravan and the replacement of parts which have reached the end of their working due to age or usage

The cleaning and adjustment of any assemblies is not covered in years 2 & 3.



Below is a list of manufacturers who should be contacted direct by your dealer should any warranty issues arise.

### OEMS CARRYING DIRECT WARRANTY WORK & ADMINISTRATION

| Company                            | Component  | Contact   | Warranty<br>Term                 | Telephone<br>No  | Fax No       | Email                     |
|------------------------------------|--|---|----------------------------------|--|--------------|---------------------------|
| Alde International                 | Heating System                                     | Customer Care                                     | 36 months                        | 01933 677765<br>Press 1                                      | 01933 674975 | info@alde.co.uk           |
| AL-KO                              | Chassis, Axle<br>& Under Gear                      | Service Department                                | 36 months                        | 01926 818200   |              |                           |
| Base Automotive                    | Radio/DVD  | Customer Services                                 | 12 months                        | 01772 886000   |              |                           |
| Sargent Electrical<br>Services Ltd | Power supply units, chargers control panels        | Customer Support                                  | 36 months                        | 01482 678981   | 01482 678987 | support@sargentltd.co.uk  |
| Dometic                            | Fridges  | Service Department                                | 36 months                        | 0844 6260139   |              | technical@dometic.co.uk   |
| Grade UK                           | Status Antennas                                    | Warranty Department                               | 24 months                        | 0115 9867151   |              |                           |
| Phantom                            | Phantom Tracker                                    | Activations<br>Technical<br>Subscription<br>Sales | 12 months                        | 0161 4311052<br>0161 4311066<br>0161 4311065<br>0161 4316751 |              |                           |
| Polyplastics                       | Windows (to Lexon<br>side and Ariva<br>front only) | Miriad  | Various (see polyplastics notes) | 01283 5860630  | 01283 586061 | sales@miriad-products.com |
| Thetford                           | Toilets<br>Oven                                    | Customer Services                                 | 24 months                        | 01283 86020  |              |                           |
| Truma                              | Water System<br>Heating Systems                    | Customer Services                                 | 36 months                        | 01709 766770   |              |                           |
| Daewoo                             | Microwaves   | Gwen Bolton                                       | 12 months                        | 0844 8872525   |              | gwen.bolten@desuk.co.uk   |

## WARRANTY 👸

### Reporting a fault

In the event that a fault develops with your Lunar Caravan, contact should always be with the retailer from which you purchased your caravan from. Your retailer is with whom your contract of sale is with and ultimately who will be responsible for carrying out a thorough pre-delivery inspection and arranging warranty work which may be required together with annual servicing

### Servicing

It is important that to maintain the validity of the Lunar warranty, your caravan has an annual service and damp check carried out by an Approved workshop using genuine parts, recommended sealants and following Lunar procedures; failure to do so will invalidate your Lunar warranty.

The Lunar warranty is conditional on annual servicing being carried out 60 days either side of the anniversary purchase date for interim years. The third annual service must be carried out before the expiry of the 36 months warranty period from the original date of purchase. Failure to have your servicing undertaken within these guidelines does invalidate your Lunar warranty.

Your service handbook must be stamped accordingly and the original VAT invoices and damp report must be retained as proof that the annual service have been carried out in the accordance with the warranty terms and conditions

### Spare parts

Should you require any spare parts for your Lunar Caravan, please contact your dealer or nearest service centre; they in turn will contact our factory. To assist your dealer please provide as much information as possible including the VIN number of your caravan, model, full description of the part you require and if possible a photograph of the part.

#### **Mains Electrics**

It is strongly recommended that your caravan mains electrics system is inspected by a NICEIC approved engineer every 3 years.

## **Change of Ownership - Transfer of Warranty**

The Lunar warranty may be transferred to a new owner if the caravan is sold on. This is providing the caravan has been regularly serviced by a Lunar, NCC Approved Workshop or a workshop who is part of the Approved Workshop Scheme.

At the back of the service handbook is a change of ownership form which should be completed in full and documentary evidence that the caravan has been annually serviced provided. The transfer should be completed within 28 days of change of ownership. An administration of £50 is applied

Lunar Caravans Limited 6 year warranty is offered subject to the following Terms and Conditions:-

- The warranty validation has been completed within 4 weeks of purchase
- An annual service has been undertaken on the caravan by a Lunar approved service centre including a comprehensive damp check, within 60 days either side of the anniversary purchase date.
- The third annual service must be carried out before the expiry of the 36 month warranty period from the original date of purchase.
- A record of each service should be recorded and stamped in the "service record" section at the back of the service handbook.
- No warranty work should be commenced under the terms of the warranty unless prior authorisation is obtained from Lunar Caravans Limited
- The warranty holder must notify the dealer of the alleged defect within 14 days of discovering it, with sufficient particulars including VIN to enable the defect to be clearly identified.
- The manufacturer identification (vehicle identification number – VIN) of the caravan must not have been removed or defaced.

# ( WARRANTY

- The caravan must only be used in the United Kingdom other than a temporary use for the purpose of a holiday outside the United Kingdom and must not be used as a permanent residence.
- The caravan must not have been used other than for recreational purposes i.e. living in or business purposes
- No liability will be accepted for alternative accommodation
- 11. If the caravan has been subjected to any collision, impact or accident, repairs must be undertaken by an Approved Lunar dealer, NCC Approved Workshop or a workshop that is part of the Approved Workshop Scheme. Lunar Caravans must be notified of the collision, impact or accident.
- 12. The caravan shall only be towed by a private car or private 4x4 vehicles.
- The caravan must not have been modified or any alternation made to its original construction
- 14. Lunar Caravans reserves the right to examine the caravan prior to commencement of repairs and nominate a repairer.
- 15. In the event of a dispute Lunar Caravans reserve the right to subject the caravan to an expert assessment and nominate a repairer.

- 16. Lunar Caravans Limited liability under this agreement shall be limited to supplying labour and materials of a value not exceeding £2500 inc VAT in respect of each claim or series of claims
- 17. No liability will be accepted for damage caused by neglect, intrusion, lack of servicing, over-heating, freezing or abuse, (e.g. Continued use after failure has become evident thus exacerbating the problem)
- 18. No liability will be accepted for the cost of transporting, towing, or moving the caravan by any means from or to a place of repair or consequential cost relating to transportation.
- No liability will be accepted for consequential cost or loss, damage by forces of nature, damage by vermin, damage by mould, damage caused by modification
- Retailers/dealer have no authority to bind to make any undertaking on behalf of Lunar Caravan Limited by any express or implied undertaking or representation.

### **ANNUAL INSPECTION**

| 0        |  |
|----------|--|
| $\simeq$ |  |
| - 11     |  |
| 11       |  |
| II       |  |
| и.       |  |
|          |  |

### ANNUAL SERVICE CHECKLIST

In order to comply with the warranty, you must have your caravan serviced and inspected by an authorised appointed dealer covering the items listed every 12 months.

It is important that the Owners Handbook is stamped on the appropriate page by the appointment Servicing Dealer. Failure to do this will invalidate the warranty.

In the event of a claim, Lunar will require acceptable proof of servicing which will be the fully detailed, original VAT service invoice.

| 1.  | Wate | er Ingress Test                         |  |
|-----|------|---|--|
|     | 1.1  | Roof - Roof / Walls - Rooflights        |  |
|     | 1.2  | Walls - Walls / Floor                   |  |
|     | 1.3  | Windows - Window apertures              |  |
|     | 1.4  | Doors (entrance door, service doors)    |  |
| 2.  | Lam  | ination test, sides                     |  |
| 3.  | Lam  | ination test, floor                     |  |
| 4.  | Jock | rey wheel                               |  |
| 5.  |      | ssis and chassis to body security       |  |
| 6.  | Corr | ner steadies                            |  |
| 7.  | Tyre | s and tyre pressures                    |  |
| 8.  | Torq | ue wheel nuts                           |  |
| 9.  |      | te rods and linkages                    |  |
| 0.  | Hub  | bearings, brakes and brake shoes        |  |
| 11. | Hand | dbrake operation and performance        |  |
| 12. | Susp | pension and shock absorbers (if fitted) |  |
| 13. | 12N  | and 12S 7-pin plug and cables           |  |
| 4   | Road | d lights, wiring and reflectors         |  |



## ANNUAL INSPECTION

| 15. | Internal lights and 12V DC system     |  |
|-----|---------------------------------------|--|
| 16. | Water heater – gas and 230V AC        |  |
| 17. | Hob, grill and oven                   |  |
| 18. | Refrigerator 230V AC, 12V DC and gas  |  |
| 19. | Gas system                            |  |
| 20. | Water pump, taps and water system     |  |
| 21. | Mains 230V AC system                  |  |
| 22. | Windows and fittings                  |  |
| 23. | Smoke alarm and battery               |  |
| 24. | Roof lights                           |  |
| 25. | Furniture hinges/stays etc            |  |
| 26. | Exterior locks and hinges             |  |
| 27. | Grab handle security                  |  |
| 28. | All internal vents                    |  |
| 29. | Oil seals                             |  |
| 30. | Blinds and flyscreens (if fitted)     |  |
| 31. | Blown air heating and gas fire heater |  |

### **ANNUAL SERVICE RECORD**

|      | 2          |
|------|------------|
| l (L | $\Box l L$ |

| CARAVAN MODEL        | YEAR |
|----------------------|------|
| CHASSIS (VIN) NUMBER |      |

| 1st INSPECTION  | 2nd INSPECTION  | 3rd INSPECTION  |  |  |
|---|---|---|--|--|
| DATE:   | DATE:   | DATE:   |  |  |
| DEALER'S  | DEALER'S  | DEALER'S  |  |  |
| STAMP   | STAMP   | STAMP   |  |  |
|   |   |   |  |  |
|   |   |   |  |  |
| We certify that an annual inspection has<br>been carried out in accordance<br>with the Service Checklist. | We certify that an annual inspection has<br>been carried out in accordance<br>with the Service Checklist. | We certify that an annual inspection has been carried out in accordance with the Service Checklist. |  |  |
| 4th INSPECTION  | 5th INSPECTION  | 6th INSPECTION  |  |  |
| DATE:   | DATE:   | DATE:   |  |  |
| DEALER'S  | DEALER'S  | DEALER'S  |  |  |
| STAMP   | STAMP   | STAMP   |  |  |
|   |   |   |  |  |
|   |   |   |  |  |
| We certify that an annual inspection has<br>been carried out in accordance<br>with the Service Checklist. | We certify that an annual inspection has been carried out in accordance with the Service Checklist.       |   |  |  |



| MODEL                       |                                 | Arriva   | Stellar  | Quasar 462   | Quasar 524   | Quasar 544   |
|-----------------------------|---------------------------------|--|--|--|--|--|
| No. of berths               |                                 | 2  | 2  | 2  | 4  | 4  |
| Number of axles             |                                 | 1  | 1  | 1  | 1  | 1  |
| Interior length (m)         |                                 | 3.653m/12'0"   | 4.178m/13'8"   | 4.589m/15'1"   | 5.196m/17'1"   | 5.618m/18'5"   |
| Shipping length (m)         |                                 | 5.170m/17'0"   | 5.720m/18'9"   | 6.155m/20'2"   | 6.765m/22'2"   | 7.200m/23'7"   |
| Overall width (m) (inc hi   | igh level marker lights)        | 2.040m/6'7"  | 2.326m/7'8"  | 2.205m/7'3"  | 2.205m/7'3"  | 2.205m/7'3"  |
| Maximum headroom (m         | n)                              | 1.908m/6'3"  | 1.958m/6'5"  | 1.908m/6'3"  | 1.908m/6'3"  | 1.908m/6'3"  |
| Overall height (m)          |                                 | 2.571m/8'5"  | 2.658m/8'9"  | 2.606m/8'7"  | 2.606m/8'7"  | 2.606m/8'7"  |
| Tyre size                   |                                 | 175/65 R14<br>(46 psi)   | 185 R14 C<br>(52 psi)  | 185 R14 C<br>(52 psi)  | 185 R14 C<br>(59 psi)  | 185 R14 C<br>(59 psi)  |
| Hitch ball height fully lad | den (m)                         | 0.440m/1'5"  | 0.440m/1'5"  | 0.440m/1'5"  | 0.440m/1'5"  | 0.440m/1'5"  |
| Mass in Running Order       | (kg)                            | 840kg  | 1072kg   | 1050kg   | 1139kg   | 1175kg   |
| Total User Payload (kg)     |                                 | 125kg  | 138kg  | 145kg  | 171kg  | 175kg  |
| Max. Technical Permiss      | sible Laden Mass* (kg)          | 965kg  | 1210kg   | 1195kg   | 1310kg   | 1350kg   |
| Bed sizes                   | Front Double                    | 1.825 x 1.862m<br>6'0" x 6'1"                                  | 2.085 x 1.844m<br>6'10" x 6'1"                                 | 1.965 x 1.862m<br>6'5" x 6'1"                                  | 1.965 x 1.862m<br>6'5" x 6'1"                                  | 1.965 x 1.532m<br>6'5" x 5'0"                                  |
|                             | Front Singles 1 Front Singles 2 | 1.862 x 0.663m<br>6'1" x 2'2"<br>1.862 x 0.663m<br>6'1" x 2'2" | 1.844 x 0.729m<br>6'1" x 2'5"<br>1.844 x 0.729m<br>6'1" x 2'5" | 1.862 x 0.670m<br>6'1" x 2'3"<br>1.862 x 0.670m<br>6'1" x 2'3" | 1.862 x 0.670m<br>6'1" x 2'3"<br>1.862 x 0.670m<br>6'1" x 2'3" | 1.532 x 0.670m<br>5'0" x 2'3"<br>1.532 x 0.670m<br>5'0" x 2'3" |
|                             | Rear Double                     | 01 722   | 01 X23   | 01 X23   | 01 X23   | 1.907 x 1.340m<br>6'3" x 4'5"                                  |
|                             | Rear Singles 1                  |  |  |  |  |  |
|                             | Rear Singles 2                  |  |  |  |  |  |
|                             | Side Singles                    |  |  |  | 1.830 x 0.653m<br>6'0" x 2'2"                                  |  |
|                             | Side Bunks                      |  |  |  | 1.766 x 0.569m<br>5'10" x 1'10"                                |  |
|                             | Rear Bunks 1                    |  |  |  |  |  |
|                             | Rear Bunks 2                    |  |  |  |  |  |
|                             | Rear Bunks 3                    |  |  |  |  |  |
| Actual awning length        |                                 | 790cm/25'11"   | 880cm/28'10"   | 910cm/29'10"   | 960cm/31'5"  | 1010cm/33'2"   |

<sup>\*</sup> MTPLM - Most models can have the MTPLM increased with minimal disruption. Contact your nearest Lunar Caravans dealer for further information.

The tyre pressures listed are the recommended tyre pressure for running at the stated weights and are calculated taking into account the weight of the caravan and assembly. Should the MTPLM weight change, the tyre pressure may also need to be adjusted depending on the model. Contact should be made with your dealer to check if the tyre pressure should be adjusted.

<sup>\*\*</sup> Lunar Caravans would always recommend seeking the advice of your dealer or the awning manufacturer directly before purchasing an awning.

| MODEL                        |                        | Quasar 554                    | Quasar 574                    | Quasar 586                      | Quasar 646                     |
|------------------------------|------------------------|-------------------------------|-------------------------------|---------------------------------|--------------------------------|
| No. of berths                |                        | 4                             | 4                             | 6                               | 6                              |
| Number of axles              |                        | 1                             | 1                             | 1                               | 2                              |
| nterior length (m)           |                        | 5.618m/18'5"                  | 5.821m/19'9"                  | 5.783m/19'0"                    | 6.247m/20'5"                   |
| Shipping length (m)          |                        | 7.200m/23'7"                  | 7.395m/24'3"                  | 7.360m/24'2"                    | 7.837m/25'9"                   |
| Overall width (m) (inc hig   | h level marker lights) | 2.205m/7'3"                   | 2.205m/7'3"                   | 2.205m/7'3"                     | 2.205m/7'3"                    |
| Maximum headroom (m)         | -                      | 1.908m/6'3"                   | 1.908m/6'3"                   | 1.908m/6'3"                     | 1.908m/6'3"                    |
| Overall height (m)           |                        | 2.606m/8'7"                   | 2.606m/8'7"                   | 2.606m/8'7"                     | 2.606m/8'7"                    |
| Tyre size                    |                        | 185 R14 C<br>(59 psi)         | 185 R14 C<br>(65 psi)         | 185 R14 C<br>(65 psi)           | 175/65 R14<br>(45 psi)         |
| Hitch ball height fully lade | en (m)                 | 0.440m/1'5"                   | 0.440m/1'5"                   | 0.440m/1'5"                     | 0.440m/1'5"                    |
| Mass in Running Order (I     | kg)                    | 1175kg                        | 1213kg                        | 1228kg                          | 1358kg                         |
| Total User Payload (kg)      |                        | 175kg                         | 177kg                         | 197kg                           | 197kg                          |
| Max. Technical Permissib     | ole Laden Mass* (kg)   | 1350kg                        | 1390kg                        | 1425kg                          | 1555kg                         |
| Bed sizes                    | Front Double           | 1.965 x 1.532m<br>6'5" x 5'0" | 1.965 x 1.532m<br>6'5" x 5'0" | 1.965 x 1.862m<br>6'5" x 6'1"   | 1.965 x 1.950m<br>6'5" x 6'4"  |
|                              | Front Singles 1        | 1.532 x 0.670m<br>5'0" x 2'3" | 1.532 x 0.670m<br>5'0" x 2'3" | 1.862 x 0.670m<br>6'1" x 2'3"   | 1.950 x 0.670m<br>6'4" x 2'3"  |
|                              | Front Singles 2        | 1.532 x 0.670m<br>5'0" x 2'3" | 1.532 x 0.670m<br>5'0" x 2'3" | 1.862 x 0.670m<br>6'1" x 2'3"   | 1.950 x 0.670m<br>6'4" x 2'3"  |
|                              | Rear Double            |                               | 1.830 x 1.340m<br>6'0" x 4'5" |                                 |                                |
|                              | Rear Singles 1         | 1.867 x 0.680m<br>6'2" x 2'3" |                               |                                 |                                |
|                              | Rear Singles 2         | 1.867 x 0.680m<br>6'2" x 2'3" |                               |                                 |                                |
|                              | Side Singles           |                               |                               | 1.830 x 0.653m<br>6'0" x 2'2"   | 1.890 x 0.653m<br>6'2" x 2'2"  |
|                              | Side Bunks             |                               |                               | 1.766 x 0.569m<br>5'10" x 1'10" | 1.826 x 0.569m<br>6'0" x 1'10" |
|                              | Rear Bunks 1           |                               |                               | 1.700 x 0.630m<br>5'6" x 2'1"   | 1.792 x 0.630m<br>5'11" x 2'1" |
|                              | Rear Bunks 2           |                               |                               | 1.700 x 0.630m<br>5'6" x 2'1"   | 1.792 x 0.630m<br>5'11" x 2'1" |
|                              | Rear Bunks 3           |                               |                               |                                 |                                |
| Actual awning length         | ·                      | 1010cm/33'2"                  | 1030cm/33'10"                 | 1030cm/33'10"                   | 1070cm/35'1"                   |

<sup>\*</sup> MTPLM - Most models can have the MTPLM increased with minimal disruption. Contact your nearest Lunar Caravans dealer for further information.

The tyre pressures listed are the recommended tyre pressure for running at the stated weights and are calculated taking into account the weight of the caravan and assembly. Should the MTPLM weight change, the tyre pressure may also need to be adjusted depending on the model. Contact should be made with your dealer to check if the tyre pressure should be adjusted.

<sup>\*\*</sup> Lunar Caravans would always recommend seeking the advice of your dealer or the awning manufacturer directly before purchasing an awning.

# **GENERAL DATA**

### **SPECIFICATIONS**

| MODEL  | Lexon 540                      | Lexon 560                                       | Lexon 570                                       | Lexon 580                                       | Lexon 640                                       |
|--|--------------------------------|---|---|---|---|
| No. of berths                                    | 4                              | 4   | 4   | 5   | 4   |
| Number of axles                                  | 1                              | 1   | 1   | 1   | 2   |
| nterior length (m)                               | 5.776m/18'11"                  | 5.769m/18'11"                                   | 5.785m/19'0"                                    | 5.769m/18'11"                                   | 6.343m/20'10"                                   |
| Shipping length (m)                              | 7.327m/24'0"                   | 7.315m/24'0"                                    | 7.320m/24'0"                                    | 7.325m/24'0"                                    | 7.878m/25'10"                                   |
| Overall width (m) (inc high level marker lights) | 2.326m/7'8"                    | 2.326m/7'8"                                     | 2.326m/7'8"                                     | 2.326m/7'8"                                     | 2.326m/7'8"                                     |
| Maximum headroom (m)                             | 1.958m/6'5"                    | 1.958m/6'5"                                     | 1.958m/6'5"                                     | 1.958m/6'5"                                     | 1.958m/6'5"                                     |
| Overall height (m)                               | 2.658m/8'9"                    | 2.658m/8'9"                                     | 2.658m/8'9"                                     | 2.658m/8'9"                                     | 2.658m/8'9"                                     |
| yre size   | 185 R14 C                      | 185 R14 C                                       | 185 R14 C                                       | 185 R14 C                                       | 175/65 R14                                      |
|  | (52 psi)                       | (52 psi)  | (52 psi)  | (52 psi)  | (45 psi)  |
| Hitch ball height fully laden (m)                | 0.440m/1'5"                    | 0.440m/1'5"                                     | 0.440m/1'5"                                     | 0.440m/1'5"                                     | 0.440m/1'5"                                     |
| Mass in Running Order (kg)                       | 1252kg                         | 1267kg  | 1277kg  | 1271kg  | 1446kg  |
| otal User Payload (kg)                           | 173kg                          | 173kg   | 173kg   | 184kg   | 179kg   |
| Max. Technical Permissible Laden Mass* (kg)      | 1425kg                         | 1440kg  | 1450kg  | 1455kg  | 1625kg  |
| Bed sizes Front Double                           | 2.085 x 1.670m<br>6'10" x 5'6" | 2.085 x 1.514m<br>6'10" x 5'0"                  | 2.085 x 1.514m<br>6'10" x 5'0"                  | 2.085 x 1.514m<br>6'10" x 5'0"                  | 2.085 x 1.670m<br>6'10" x 5'6"                  |
| Front Singles 1<br>Front Singles 2               | 5'6" x 2'5"<br>1.670 x 0.729m  | 1.514 x 0.729m<br>5'0" x 2'5"<br>1.514 x 0.729m | 1.514 x 0.729m<br>5'0" x 2'5"<br>1.514 x 0.729m | 1.514 x 0.729m<br>5'0" x 2'5"<br>1.514 x 0.729m | 1.670 x 0.739m<br>5'6" x 2'5"<br>1.670 x 0.739m |
|  | 5'6" x 2'5"                    | 5'0" x 2'5"                                     | 5'0" x 2'5"                                     | 5'0" x 2'5"                                     | 5'6" x 2'5"                                     |
| Rear Double                                      | 1.907 x 1.340m<br>6'3" x 4'5"  | 1.830 x 1.340m<br>6'0" x 4'5"                   |   |   |   |
| Rear Singles 1                                   |                                |   | 1.867 x 0.780m<br>6'2" x 2'7"                   | 1.859 x 0.729m<br>6'1" x 2'5"                   | 1.867 x 0.780m<br>6'2" x 2'7"                   |
| Rear Singles 2                                   |                                |   | 1.867 x 0.780m<br>6'2" x 2'7"                   |   | 1.867 x 0.780m<br>6'2" x 2'7"                   |
| Side Singles                                     | •                              |   |   | 1.859 x 0.701m<br>6'1" x 2'3"                   |   |
| Side Bunks                                       | •                              |   |   | 1.766 x 0.569m<br>5'10" x 1'10"                 |   |
| Rear Bunks 1                                     |                                |   |   | 1.859 x 0.630m<br>6'1" x 2'1"                   |   |
| Rear Bunks 2                                     |                                |   |   | - : <b></b>                                     |   |
| Rear Bunks 3                                     |                                |   |   |   |   |
| Actual awning length                             | 1040cm/34'1"                   | 1040cm/34'1"                                    | 1040cm/34'1"                                    | 1040cm/34'1"                                    | 1090cm/35'9"                                    |

<sup>\*</sup> MTPLM - Most models can have the MTPLM increased with minimal disruption. Contact your nearest Lunar Caravans dealer for further information.

The tyre pressures listed are the recommended tyre pressure for running at the stated weights and are calculated taking into account the weight of the caravan and assembly. Should the MTPLM weight change, the tyre pressure may also need to be adjusted depending on the model. Contact should be made with your dealer to check if the tyre pressure should be adjusted.

<sup>\*\*</sup> Lunar Caravans would always recommend seeking the advice of your dealer or the awning manufacturer directly before purchasing an awning.

| MODEL  | Clubman CK                     | Clubman ES                       | Clubman SE                     | Clubman SB                     | Clubman SI                     |
|--|--------------------------------|----------------------------------|--------------------------------|--------------------------------|--------------------------------|
| No. of berths                                    | 2                              | 3                                | 4                              | 4                              | 4                              |
| Number of axles                                  | 1                              | 1                                | 1                              | 1                              | 1                              |
| Interior length (m)                              | 4.638m/15'3"                   | 5.514m/18'1"                     | 5.775m/18'11"                  | 5.785m/19'0"                   | 5.775m/18'11"                  |
| Shipping length (m)                              | 6.182m/20'3"                   | 7.060m/23'2"                     | 7.315m/24'0"                   | 7.327m/24'0"                   | 7.315m/24'0"                   |
| Overall width (m) (inc high level marker lights) | 2.326m/7'8"                    | 2.326m/7'8"                      | 2.326m/7'8"                    | 2.326m/7'8"                    | 2.326m/7'8"                    |
| Maximum headroom (m)                             | 1.958m/6'5"                    | 1.958m/6'5"                      | 1.958m/6'5"                    | 1.958m/6'5"                    | 1.958m/6'5"                    |
| Overall height (m)                               | 2.658m/8'9"                    | 2.658m/8'9"                      | 2.658m/8'9"                    | 2.658m/8'9"                    | 2.658m/8'9"                    |
| Tyre size  | 185 R14 C<br>(52 psi)          | 185 R14 C<br>(65 psi)            | 185 R14 C<br>(65 psi)          | 185 R14 C<br>(65 psi)          | 185 R14 C<br>(65 psi)          |
| Hitch ball height fully laden (m)                | 0.440m/1'5"                    | 0.440m/1'5"                      | 0.440m/1'5"                    | 0.440m/1'5"                    | 0.440m/1'5"                    |
| Mass in Running Order (kg)                       | 1142kg                         | 1273kg                           | 1306kg                         | 1305kg                         | 1320kg                         |
| Total User Payload (kg)                          | 123kg                          | 167kg                            | 154kg                          | 155kg                          | 155kg                          |
| Max. Technical Permissible Laden Mass* (kg)      | 1265kg                         | 1440kg                           | 1460kg                         | 1460kg                         | 1475kg                         |
| Bed sizes Front Double                           | 2.105 x 1.844m<br>6'11" x 6'1" | 2.105 x 1.932m<br>6'11" x 6'4"   | 2.105 x 1.670m<br>6'11" x 5'6" | 2.105 x 1.514m<br>6'11" x 5'0" | 2.105 x 1.514m<br>6'11" x 5'0" |
| Front Singles 1                                  | 1.844 x 0.729m<br>6'1" x 2'5"  | 1.932 x 0.729m<br>6'4" x 2'5"    | 1.670 x 0.729m<br>5'6" x 2'5"  | 1.514 x 0.729m<br>5'0" x 2'5"  | 1.514 x 0.729m<br>5'0" x 2'5"  |
| Front Singles 2                                  | 1.844 x 0.729m<br>6'1" x 2'5"  | 1.932 x 0.729m<br>6'4" x 2'5"    | 1.670 x 0.729m<br>5'6" x 2'5"  | 1.514 x 0.729m<br>5'0" x 2'5"  | 1.514 x 0.729m<br>5'0" x 2'5"  |
| Rear Double                                      |                                |                                  | 1.907 x 1.340m<br>6'3" x 4'5"  |                                | 1.830 x 1.340m<br>6'0" x 4'5"  |
| Rear Singles 1                                   |                                |                                  |                                | 1.867 x 0.780m<br>6'2" x 2'7"  |                                |
| Rear Singles 2                                   |                                |                                  |                                | 1.867 x 0.780m<br>6'2" x 2'7"  |                                |
| Side Singles                                     |                                | 1.830 x 0.725m<br>6'0" x 2'4"    |                                |                                |                                |
| Side Bunks                                       |                                | 1.766 x 0.569m<br>5'10" x 1' 10" |                                |                                |                                |
| Rear Bunks 1                                     |                                |                                  |                                |                                |                                |
| Rear Bunks 2                                     |                                |                                  |                                |                                |                                |
| Rear Bunks 3                                     |                                |                                  |                                |                                |                                |
| Actual awning length                             | 930cm/30'6"                    | 1010cm/33'2"                     | 1040cm/34'1"                   | 1040cm/34'1"                   | 1040cm/34'1"                   |

<sup>\*</sup> MTPLM - Most models can have the MTPLM increased with minimal disruption. Contact your nearest Lunar Caravans dealer for further information.

The tyre pressures listed are the recommended tyre pressure for running at the stated weights and are calculated taking into account the weight of the caravan and assembly. Should the MTPLM weight change, the tyre pressure may also need to be adjusted depending on the model. Contact should be made with your dealer to check if the tyre pressure should be adjusted.

<sup>\*\*</sup> Lunar Caravans would always recommend seeking the advice of your dealer or the awning manufacturer directly before purchasing an awning...



| MODEL                      |                           | Delta TI                       | Delta TS                       | Delta RI                       |
|----------------------------|---------------------------|--------------------------------|--------------------------------|--------------------------------|
| No. of berths              |                           | 4                              | 4                              | 4                              |
| Number of axles            |                           | 2                              | 2                              | 2                              |
| Interior length (m)        |                           | 6.342m/20'10"                  | 6.342m/20'10"                  | 6.156m/20'8"                   |
| Shipping length (m)        |                           | 7.885m/25'10"                  | 7.885m/25'10"                  | 7.885m/25'10"                  |
| Overall width (m) (inc h   | nigh level marker lights) | 2.326m/7'8"                    | 2.326m/7'8"                    | 2.326m/7'8"                    |
| Maximum headroom (r        | m)                        | 1.958m/6'5"                    | 1.958m/6'5"                    | 1.958m/6'5"                    |
| Overall height (m)         |                           | 2.658m/8'9"                    | 2.658m/8'9"                    | 2.658m/8'9"                    |
| Tyre size                  |                           | 175/65 R14<br>(45 psi)         | 175/65 R14<br>(45 psi)         | 175/65 R14<br>(45 psi)         |
| Hitch ball height fully la | aden (m)                  | 0.440m/1'5"                    | 0.440m/1'5"                    | 0.440m/1'5"                    |
| Mass in Running Order      | r (kg)                    | 1510kg                         | 1550kg                         | 1550kg                         |
| Total User Payload (kg     | )                         | 160kg                          | 160kg                          | 160kg                          |
| Max. Technical Permis      | sible Laden Mass* (kg)    | 1670kg                         | 1710kg                         | 1710kg                         |
| Bed sizes                  | Front Double              | 2.105 x 1.844m<br>6'11" x 6'1" | 2.105 x 1.670m<br>6'11" x 5'6" | 2.105 x 1.514m<br>6'11" x 5'0" |
|                            | Front Singles 1           | 1.844 x 0.729m<br>6'1" x 2'5"  | 1.670 x 0.729m<br>5'6" x 2'5"  | 1.514 x 0.729m<br>5'0" x 2'5"  |
|                            | Front Singles 2           | 1.844 x 0.729m<br>6'1" x 2'5"  | 1.670 x 0.729m<br>5'6" x 2'5"  | 1.514 x 0.729m<br>5'0" x 2'5"  |
|                            | Rear Double               | 1.830 x 1.340m<br>6'0" x 4'5"  |                                | 1.830 x 1.340m<br>6'0" x 4'5"  |
|                            | Rear Singles 1            |                                | 1.867 x 0.780m<br>6'2" x 2'7"  |                                |
|                            | Rear Singles 2            |                                | 1.867 x 0.780m<br>6'2" x 2'7"  |                                |
|                            | Side Singles              |                                |                                |                                |
|                            | Side Bunks                |                                |                                |                                |
|                            | Rear Bunks 1              |                                |                                |                                |
|                            | Rear Bunks 2              |                                |                                |                                |
|                            | Rear Bunks 3              |                                |                                |                                |
| Actual awning length       |                           | 1090cm/35'9"                   | 1090cm/35'9"                   | 1090cm/35'9"                   |

<sup>\*</sup> MTPLM - Most models can have the MTPLM increased with minimal disruption. Contact your nearest Lunar Caravans dealer for further information.

Contact should be made with your dealer to check if the tyre pressure should be adjusted.

The tyre pressures listed are the recommended tyre pressure for running at the stated weights and are calculated taking into account the weight of the caravan and assembly. Should the MTPLM weight change, the tyre pressure may also need to be adjusted depending on the model.

MRO includes a manufacturing tolerance to reflect changes in the weights of the raw materials. It is anticipated that this figure will never be exceeded in the caravans standard ex-works specification.

<sup>\*\*</sup> Lunar Caravans would always recommend seeking the advice of your dealer or the awning manufacturer directly before purchasing an awning.

If you sell your caravan and the new owner wishes to benefit from any unexpired warranty, please notify us of any change of ownership by completing the change of ownership form on the next page.

An administration charge of £50 is also applied and cheques should be made payable to Lunar Caravans Limited and full documentary evidence that the caravan has been annually serviced be enclosed. The change of ownership form must be completed within a month of change of legal ownership and all documentation should be sent to:

Lunar Caravans Limited After Sales Department Sherdley Road Lostock Hall Preston PR5 5JF

| $\sim$              |
|---------------------|
| $\underline{\circ}$ |
| -                   |
|                     |
| 11                  |
| 11                  |
|                     |
|                     |

|  | NOTIFICATION OF CHANGE OF OWNERSHIP   |               |  |
|--|---|---------------|--|
| PURCHASE DATE PURCHASED FROM (DEALER NAME IF APPLICABLE)                       |   |               |  |
| CARAVAN DETAILS  |   |               |  |
| Model  |   |               |  |
| Vehicle Identification Number  |   |               |  |
| CURRENT OWNER  |   |               |  |
| Name   |   |               |  |
| Address  |   |               |  |
| Post Code  |   |               |  |
| Telephone Number   |   |               |  |
| Date of Ownership  |   |               |  |
| NEW OWNER  |   |               |  |
| Name   |   |               |  |
| Address  |   |               |  |
| Post Code  |   |               |  |
| Telephone Number   |   |               |  |
| Date of Purchase   |   |               |  |
|  | WITH A COPY OF YOUR SALES RECEIPT TO: Department, Sherdley Road, Lostock Hall, Preston, PR5 5JF.        |               |  |
| From time to time our Marketing Deput updates. If you wish to opt out from the | artment may use the information recorded on our database to inform customers of new prodis, please tick | ucts and      |  |
| I have read and understand the terms   | and conditions of the Lunar warranty, including the servicing requirements as applicable to             | this vehicle. |  |

| PURCHASE DATE PURCHASED FROM (DEALER NAME IF APPLICABLE)                        |  |  |
|---|--|--|
| CARAVAN DETAILS   |  |  |
| Model   |  |  |
| Vehicle Identification Number   |  |  |
| CURRENT OWNER   | ·  |  |
| Name  |  |  |
| Address   |  |  |
| Post Code   |  |  |
| Telephone Number  |  |  |
| Date of Ownership   |  |  |
| NEW OWNER   |  |  |
| Name  |  |  |
| Address   |  |  |
| Post Code   |  |  |
| Telephone Number  |  |  |
| Date of Purchase  |  |  |
|   | WITH A COPY OF YOUR SALES RECEIPT TO: Department, Sherdley Road, Lostock Hall, Preston, PR5 5JF.                 |  |
| From time to time our Marketing Depa<br>updates. If you wish to opt out from th | artment may use the information recorded on our database to inform customers of new products and is, please tick |  |
| I have read and understand the terms  | and conditions of the Lunar warranty, including the servicing requirements as applicable to this vehicle         |  |

| PURCHASE DATE  | PURCHASED FROM (DEALER NAME IF APPLICABLE)  |
|--|---|
| CARAVAN DETAILS  |   |
| Model  |   |
| Vehicle Identification Number  |   |
| CURRENT OWNER  |   |
| Name   |   |
| Address  |   |
| Post Code  |   |
| Telephone Number   |   |
| Date of Ownership  |   |
| NEW OWNER  |   |
| Name   |   |
| Address  |   |
| Post Code  |   |
| Telephone Number   |   |
| Date of Purchase   |   |
|  | WITH A COPY OF YOUR SALES RECEIPT TO: Department, Sherdley Road, Lostock Hall, Preston, PR5 5JF.                |
| From time to time our Marketing Depa<br>updates. If you wish to opt out from the | rtment may use the information recorded on our database to inform customers of new products and is, please tick |
| I have read and understand the terms   | and conditions of the Lunar warranty, including the servicing requirements as applicable to this vehicl         |

| 0             |  |
|---------------|--|
| П             |  |
| $\mathcal{U}$ |  |
|               |  |

| <b>P</b>  | NOTIFICATION OF CHANGE OF OWNERSHIP  |        |                              |                      |  |  |
|-----------|--|--------|------------------------------|----------------------|--|--|
|           | PURCHASE DATE  |        | PURCHASED FR<br>(DEALER NAME | OM<br>IF APPLICABLE) |  |  |
|           | CARAVAN DETAILS  |        |                              |                      |  |  |
|           | Model  |        |                              |                      |  |  |
|           | Vehicle Identification N   | lumber |                              |                      |  |  |
|           | CURRENT OWNER  |        |                              |                      |  |  |
|           | Name   |        |                              |                      |  |  |
|           | Address  |        |                              |                      |  |  |
| Post Code |  |        |                              |                      |  |  |
|           | Telephone Number   |        |                              |                      |  |  |
|           | Date of Ownership  |        |                              |                      |  |  |
|           | NEW OWNER  |        |                              |                      |  |  |
|           | Name   |        |                              |                      |  |  |
|           | Address  |        |                              |                      |  |  |
|           | Post Code  |        |                              |                      |  |  |
|           | Telephone Number   |        |                              |                      |  |  |
|           | Date of Purchase   |        |                              |                      |  |  |
|           | PLEASE FORWARD THIS FORM, WITH A COPY OF YOUR SALES RECEIPT TO: Lunar Caravans Limited, After Sales Department, Sherdley Road, Lostock Hall, Preston, PR5 5JF.                             |        |                              |                      |  |  |
|           | From time to time our Marketing Department may use the information recorded on our database to inform customers of new products and updates. If you wish to opt out from this, please tick |        |                              |                      |  |  |
|           | I have read and understand the terms and conditions of the Lunar warranty, including the servicing requirements as applicable to this vehicle.   |        |                              |                      |  |  |